

Serbian Ceramic Society Conference
ADVANCED CERAMICS AND APPLICATION II
New Frontiers in Multifunctional Material Science and Processing

Serbian Ceramic Society
Institute of Chemistry Technology and Metallurgy
Institute for Technology of Nuclear and Other Raw Mineral Materials
Institute for Testing of Materials
Archeological Institute of SASA

PROGRAM AND THE BOOK OF ABSTRACTS

Serbian Academy of Sciences and Arts, Knez Mihailova 35
Sep 30th - Oct 1st, 2013, Belgrade, Serbia

Book title: Serbian Ceramic Society Conference - ADVANCED CERAMICS AND APPLICATION II: Program and the Book of Abstracts

Publisher:

Serbian Ceramic Society

Editors:

Prof.dr Voja Mitić
Dr Nina Obradovic
Dr Lidija Mančić

Technical Editor:

Dr Lidija Mačić

Printing:

Serbian Academy of Sciences and Arts,
Knez Mihailova 35, Belgrade
Format
Pop Lukina 15, Belgrade

Edition:

100 copies

Mosaics: Original Format 30x40 cm

Mirjana Milić, Vladimir Skerlić, Maja Opačić, Maša Nicić, Nina Nicić, Milica Konstantinović,
Marjan Vesić - Academy od SOC for Fine Arts and Conservation

CIP - Каталогизacija у публикацији
Народна библиотека Србије, Београд

666.3/.7(048)
66.017/.018(048)

SERBIAN Ceramic Society. Conference (2 ; 2013 ; Beograd)

Advanced Ceramics and Application : new frontiers in multifunctional material science and processing : program and the book of abstracts / II Serbian Ceramic Society Conference, Sep 30th-Oct 1st, 2013, Belgrade, Serbia ; organized by Serbian Ceramic Society... [et al.] ; [editors Vojislav Mitić, Nina Obradović, Lidija Mančić]. - Belgrade : Serbian Ceramic Society, 2013 (Belgrade : Serbian Academy of Sciences and Arts). - XVI, 61 str. ; 30 cm

Tiraž 100.

ISBN 978-86-915627-1-7

1. Serbian Ceramic Society (Beograd)

a) Керамика - Апстракти b) Наука о материјалима - Апстракти

c) Наноматеријали - Апстракти

COBISS.SR-ID 201203212

simultaneously satisfy numerous requirements for chemical, structural, mechanical and electrical properties. Although traditionally MEMS in particular have relied on silicon, the materials used in MEMS/NEMS are becoming more heterogeneous. Taking into account that materials nanostructuring can produce unique mechanical, electrical and piezoelectric properties, in this article the investigation of pulsed laser deposition of BaTiO₃ on PVDF substrate has been performed. The titanium-sapphire laser operated at 800 nm with 40-fs pulse duration and 1 kHz repetition rate was focused onto a mechanically activated BaTiO₃ target. Deposition on PVDF substrate was done at an oxygen partial pressure of 10⁻⁷ Torr using a laser pulse frequency of 1 kHz at room temperature. The crystal structure and the microstructure of the films were examined using an X-ray diffractometer and scanning electron microscope, while the surface morphology was observed by atomic force microscopy. It was found that pulsed laser deposition of BaTiO₃ on PVDF substrate offers a new set of opportunities for development of advanced flexible piezo-films for the next generation of NEMS.

P30

Functionalization of graphene nanoplatelets via Bingel reaction for polymer nanocomposites

Danijela Brković¹, Vladimir Pavlović², Vera Pavlović³, Nina Obradović⁴, Petar Uskoković¹
Aleksandar Marinković¹

¹Faculty of Technology and Metallurgy, University of Belgrade

²Faculty of Agriculture, University of Belgrade

³Faculty of Mechanical Engineering, University of Belgrade

⁴Institute of Technical Sciences of SASA, Belgrade

In this study, we have performed functionalization of graphene nanoplatelets (GNPs) via Bingel reaction and investigated influence on the addition of covalently functionalized GPNs on the structural changes of the poly(methyl methacrylate). Preparation of poly(methyl methacrylate) nanocomposites with functionalized GNPs has been accomplished by drop casting method of dissolved PMMA mixed with modified graphene nanoplatelets dispersed in a *N*-methyl-1-pyrrolidone. Functionalization of graphene has been achieved under the conditions of Bingel reaction, which implies introduction of diethyl malonate on the graphene surfaces through the cyclopropane ring formation. Introduction of the cyclopropane ring on to the surface of graphene does not significantly affect the initial structural properties of graphene nanoplatelets, allowing better dispersible properties due to interaction of covalently attached diethyl malonate groups with the polymer chains. Fourier transform infrared spectroscopy (FTIR) and elemental analysis confirmed the effectiveness of the addition of diethyl malonate via Bingel reaction on the surface of GNPs. Scanning electron microscopy (SEM) has been used to provide information on the morphology of functionalized GNPs. Prepared nanocomposites have been characterized by Raman and FTIR spectroscopy. The changes regarding glass transition temperature have been monitored with differential scanning calorimetry (DSC).